



Quality Passport

NO-00564/01/02-2022

Company Name: Caluanie Chem Shop Ltd

Website: caluaniechem.com

Product name: CALUANIE MUELEAR OXIDIZE PARTEURIZE THERMOSTAT THERMOS (HEAVY WATER),

caluaniechem.com / +1 (562) 999-(1436)

8640 Langdon Ave, North Hills, CA 91343 United States / Caluanie Chem Shop Ltd

Series: TQP996482

Net weight: 1 liter, 5 liter, 10 liter.

Production date: 01/03/2022

Qualitative characteristics

Appearance, Clear colorless liquid, Compliant

Mass fraction of H₂EP₂OF not less than% - 70/71.5

Mass fraction of HNO₂ not less than% - 2.3/2.4

Mass fraction of HNO₃ not less than% - 3.1/3.5

Mass fraction of HBP not less than% - 0.5/0.62

Mass fraction of H, not less than% - 0.3/0.31

Mass fraction of HMNO₄ no more than% - 2.1/2.08

Mass fraction (HPOS) n no more than% - 3.3/3.28

Mass fraction (H₂SiCs) m not more than% - 1.2/1.1

Mass fraction of H₄SiO no more than% - 1/0.8

Mass fraction of H₂SO₄ no more than% - 1.8/1.5

Caluanie Muelear oxidize consists of modulators and activators:

1. HNO₂; 2. HNO₃; 3. HBP; 4. H₂EP₂OF; 5. H; 6. HMNO₄; 7. (HPOS) n; 8. (H₂SiCs) m;

9. H₄SiO; 10. H₂SO

Physical characteristics: Colorless, transparent liquid,

Density: 1840 g / l, (+ 0,8)

Transportation, storage and precautions: Store in a cool place in its original sealed packaging away from fire at temperatures from -5 °C to + 25C °C

Shelf life: No expiration date.

The material is intended for embrittlement of iron oxides. Doesn't burn hands.

Note: This product is intended for civilian use.

Conclusion: The product meets the specified standards

SANGJUINSRI SAWAS007

CZM The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2018/108/EC. It is possible to use CE marked to demonstrate the compliance with this EMC Directive. The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production

Kenneth Guzman

Managing Director

