

# YAXIN STAINLESS STEEL

## SS201--STAINLESS STEEL STRIPS

Name	Material	Bandwidth (mm)	Thickness (mm)	FOB Unit price/T			
				J1	J2	J3	J4
<b>Stainless steel cold rolled strip</b>	SS201	5-690MM	0.65-1.5	\$1,309.7	\$1,216.7	\$1,256.6	\$1,389.4
	SS201		0.61-0.64	\$1,302.6	\$1,209.6	\$1,249.4	\$1,382.3
	SS201		0.58-0.6	\$1,309.7	\$1,216.7	\$1,256.6	\$1,389.4
	SS201		0.53-0.57	\$1,316.9	\$1,223.9	\$1,263.7	\$1,396.6
	SS201		0.48-0.52	\$1,331.1	\$1,238.1	\$1,278.0	\$1,410.9
	SS201		0.43-0.47	\$1,352.6	\$1,259.6	\$1,299.4	\$1,432.3
	SS201		0.38-0.42	\$1,359.7	\$1,266.7	\$1,306.6	\$1,439.4
	SS201		0.33-0.37	\$1,374.0	\$1,281.0	\$1,320.9	\$1,453.7
	SS201		0.28-0.32	\$1,381.1	\$1,288.1	\$1,328.0	\$1,460.9
	SS201		0.25-0.27	\$1,425.4	\$1,332.4	\$1,372.3	\$1,505.1
	SS201		0.23-0.24	\$1,446.9	\$1,353.9	\$1,393.7	\$1,526.6
	SS201		0.22	\$1,468.3	\$1,375.3	\$1,415.1	\$1,548.0
	SS201		0.2-0.21	\$1,489.7	\$1,396.7	\$1,436.6	\$1,569.4
	SS201		0.18-0.19	\$1,545.4	\$1,452.4	\$1,492.3	\$1,625.1
	SS201		0.17-0.16	\$1,588.3	\$1,495.3	\$1,535.1	\$1,668.0
	SS201		0.15-0.12	\$1,659.7	\$1,566.7	\$1,606.6	\$1,739.4
	SS201		0.11-0.1	\$1,731.1	\$1,638.1	\$1,678.0	\$1,810.9

**This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.**

# YAXIN STAINLESS STEEL




## SS304--STAINLESS STEEL STRIPS

Name	Material	Bandwidth (mm)	Thickness (mm)	FOB Unit price/T
				SS304
<b>Stainless steel cold rolled strip</b>	SS304	5-690MM	0.65-1.5	\$2,013.9
	SS304		0.61-0.64	\$2,006.7
	SS304		0.58-0.6	\$2,013.9
	SS304		0.53-0.57	\$2,021.0
	SS304		0.48-0.52	\$2,035.3
	SS304		0.43-0.47	\$2,056.7
	SS304		0.38-0.42	\$2,063.9
	SS304		0.33-0.37	\$2,078.1
	SS304		0.28-0.32	\$2,085.3
	SS304		0.25-0.27	\$2,129.6
	SS304		0.23-0.24	\$2,151.0
	SS304		0.22	\$2,172.4
	SS304		0.2-0.21	\$2,193.9
	SS304		0.18-0.19	\$2,249.6
	SS304		0.17-0.16	\$2,292.4
	SS304		0.15-0.12	\$2,363.9
SS304	0.11-0.1	\$2,435.3		

**This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.**

# YAXIN STAINLESS STEEL


## American type hose clamp

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
American type clamp		8	13	\$0.011	\$0.019	\$0.022	\$0.029
		8	16	\$0.011	\$0.019	\$0.022	\$0.029
		8	19	\$0.011	\$0.019	\$0.022	\$0.029
		8	22	\$0.013	\$0.020	\$0.027	\$0.033
		8	25	\$0.013	\$0.020	\$0.027	\$0.036
		8	29	\$0.013	\$0.020	\$0.027	\$0.036
		8	32	\$0.015	\$0.020	\$0.027	\$0.036
		8	38	\$0.016	\$0.022	\$0.030	\$0.043
		8	44	\$0.016	\$0.023	\$0.034	\$0.045
American type clamp		12.7	44	\$0.055	\$0.073	\$0.086	\$0.115
		12.7	51	\$0.058	\$0.075	\$0.088	\$0.120
		12.7	57	\$0.060	\$0.077	\$0.090	\$0.123
		12.7	63	\$0.062	\$0.079	\$0.093	\$0.126
		12.7	70	\$0.063	\$0.082	\$0.095	\$0.130
		12.7	76		\$0.083	\$0.097	\$0.133
		12.7	82		\$0.085	\$0.099	\$0.137
		12.7	89		\$0.088	\$0.102	\$0.140
		12.7	95		\$0.090	\$0.103	\$0.144
		12.7	101		\$0.092	\$0.105	\$0.148
		12.7	110		\$0.095	\$0.108	\$0.152
Worm gear American type clamp		12.7	32			\$0.080	\$0.114
		12.7	38			\$0.082	\$0.118
		12.7	44			\$0.084	\$0.121
		12.7	48			\$0.085	\$0.123
		12.7	58			\$0.089	\$0.129
		12.7	63			\$0.091	\$0.132
		12.7	70			\$0.093	\$0.136
		12.7	79			\$0.098	\$0.141
		12.7	83			\$0.098	\$0.144
		12.7	89			\$0.100	\$0.147
		12.7	95			\$0.101	\$0.151
		12.7	102			\$0.104	\$0.155
		12.7	108			\$0.106	\$0.158
		12.7	120			\$0.110	\$0.165


This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.

# YAXIN STAINLESS STEEL

## Quick release calmp


Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
Quick release clamp		12	40-60			\$0.276	
			40-80			\$0.295	
			40-127			\$0.338	
			48-140			\$0.350	
			40-160			\$0.369	
			60-180			\$0.387	
			80-200			\$0.405	
			50-215			\$0.420	
			170-225			\$0.430	
			51-254			\$0.456	
			230-280			\$0.480	
			52-313			\$0.511	
			50-325			\$0.522	
			50-375			\$0.568	
44-400			\$0.591				

## SNAP LOCK Quick release clamp


Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
SNAP LOCK Quick release clamp		12.7	200			\$0.103	\$0.158
			250			\$0.108	\$0.167
			300			\$0.114	\$0.177
			400			\$0.125	\$0.195
			500			\$0.135	\$0.214
			600			\$0.146	\$0.232
			700			\$0.156	\$0.251
			800			\$0.167	\$0.270
			900			\$0.178	\$0.289
			1000			\$0.188	\$0.307
			1100			\$0.199	\$0.326
			1200			\$0.210	\$0.344
			1300			\$0.221	\$0.364
			1400			\$0.232	\$0.383
			1500			\$0.244	\$0.403
			1600			\$0.254	\$0.421
			1700			\$0.265	\$0.440
			1800			\$0.275	\$0.458
			1900			\$0.286	\$0.477
			2000			\$0.296	\$0.495
			2100			\$0.307	\$0.514
			2200			\$0.317	\$0.532
			2300			\$0.328	\$0.551
			2400			\$0.338	\$0.570
			2500			\$0.349	\$0.588
			2600			\$0.359	\$0.607
			2700			\$0.370	\$0.625
			2800			\$0.380	\$0.644
2900			\$0.391	\$0.662			
3000			\$0.402	\$0.681			

# YAXIN STAINLESS STEEL


## DIY clamp

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
DIY clamp		8	Length can be customized			\$0.080	\$0.130
		12.7				\$0.130	\$0.200
	buckle	8				\$0.065	\$0.084
		12.7				/	\$0.152

## key clamp

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
key clamp		12.7	25			\$0.096	\$0.143
		12.7	32			\$0.098	\$0.147
		12.7	38			\$0.100	\$0.150
		12.7	44			\$0.102	\$0.153
		12.7	51			\$0.104	\$0.157
		12.7	57			\$0.106	\$0.160
		12.7	63			\$0.108	\$0.163
		12.7	70			\$0.111	\$0.168
		12.7	76			\$0.113	\$0.171
		12.7	82			\$0.115	\$0.174
		12.7	89			\$0.117	\$0.178
		12.7	95			\$0.119	\$0.181

## constant tension clamp


Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
constant tension clamp		15.8	30-45				1.200
		15.8	32-54				1.226
		15.8	45-66				1.251
		15.8	57-79				1.294
		15.8	70-92				1.346
		15.8	83-105				1.406
		15.8	95-117				1.440
		15.8	108-130				1.488
		15.8	121-143				1.517
		15.8	133-156				1.533
		15.8	146-168				1.603
		15.8	159-181				1.646
		15.8	172-194				1.731

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.


# YAXIN STAINLESS STEEL

## German type hose clamp

### QUOTATION

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
German type clamp		9	16		\$0.036	\$0.052	\$0.069
		9	20		\$0.038	\$0.053	\$0.070
		9	22		\$0.039	\$0.053	\$0.072
		9	25		\$0.039	\$0.055	\$0.074
		9	27		\$0.039	\$0.055	\$0.074
		9	32		\$0.045	\$0.060	\$0.082
		9	40		\$0.048	\$0.064	\$0.086
		9	50		\$0.050	\$0.067	\$0.090
		9	60		\$0.053	\$0.069	\$0.096
		9	70		\$0.055	\$0.070	\$0.100
		9	80		\$0.059	\$0.074	\$0.103
		9	90		\$0.062	\$0.077	\$0.108
		9	100		\$0.065	\$0.079	\$0.113
		12	16		\$0.050	\$0.064	\$0.086
		12	20		\$0.050	\$0.064	\$0.086
		12	22		\$0.052	\$0.065	\$0.087
		12	25		\$0.052	\$0.065	\$0.087
		12	27		\$0.053	\$0.067	\$0.089
		12	32		\$0.057	\$0.070	\$0.093
		12	40		\$0.060	\$0.074	\$0.096
		12	50		\$0.064	\$0.077	\$0.100
		12	60		\$0.067	\$0.080	\$0.105
		12	70		\$0.070	\$0.084	\$0.110
		12	80		\$0.074	\$0.087	\$0.120
		12	90		\$0.079	\$0.093	\$0.122
		12	100		\$0.086	\$0.100	\$0.129

## German style non perforated clamp

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				SS304 W2	430 W3	SS304 W4	SS316 W5
German style non perforated clamp		9	20	0.11	0.14	0.14	0.18
		9	25	0.11	0.14	0.14	0.19
		9	32	0.12	0.15	0.15	0.22
		9	40	0.12	0.17	0.16	0.23
		9	50	0.13	0.18	0.18	0.24
		12	40	0.19		0.22	0.28
		12	50	0.20		0.23	0.29
		12	60	0.21		0.24	0.31
		12	70	0.22		0.25	0.33
		12	90	0.25		0.28	0.34

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.

# YAXIN STAINLESS STEEL

## BRITISH type hose calmp

### QUOTATION


Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
British clamp		9.7	12	0.035			
		9.7	16	0.035			
		9.7	19	0.035			
		11.7	25	0.037			
		11.7	29	0.037			
		11.7	38	0.045			
		11.7	44	0.046			
		11.7	57	0.050			
		11.7	64	0.052			
		11.7	76	0.056			
	11.7	89	0.059				
		9.7	12				0.197
		9.7	20				0.201
		11.7	25				0.225
		11.7	30				0.230
		11.7	40				0.277
		11.7	60				0.331
		11.7	80				0.396
11.7		100				0.409	

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.

# YAXIN STAINLESS STEEL

## HEAVY DUTY hose clamp


### QUOTATION

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
Europe style clamp		18	17-19	0.12		0.25	0.27
			20-22	0.12		0.26	0.27
			23-25	0.13		0.26	0.28
			26-28	0.13		0.26	0.28
		20	29-31	0.16		0.28	0.33
			32-35	0.16		0.28	0.33
			36-39	0.16		0.28	0.33
			40-43	0.163		0.29	0.33
		22	44-47	0.21		0.32	0.41
			48-51	0.22		0.33	0.42
			52-55	0.22		0.34	0.43
			56-59	0.23		0.34	0.43
			60-63	0.23		0.34	0.44
			64-67	0.24		0.35	0.44
		24	68-73	0.32		0.48	0.62
			74-79	0.33		0.49	0.62
			80-85	0.336		0.50	0.63
			86-91	0.35		0.50	0.64
			92-97	0.36		0.51	0.65
			98-103	0.37		0.53	0.68
			104-112	0.384		0.54	0.69
			113-121	0.395		0.56	0.71
		26	122-130	0.413		0.58	0.73
			131-139	0.605		0.73	1.03
			140-148	0.627		0.75	1.04
			149-161	0.653		0.76	1.07
			162-174	0.698		0.80	1.11
			175-187	0.72		0.82	1.15
			188-200	0.8		0.87	1.18
			201-213	0.83		0.89	1.22
214-226	0.85			0.91	1.30		
227-239	0.88		0.94	1.31			
240-252	0.91		0.97	1.37			

# YAXIN STAINLESS STEEL


## Mini hose calmp

### QUOTATION

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
Mini clamp			6--8	0.038			0.160
			7--9	0.038			0.160
			8--10	0.038			0.160
			9--11	0.038			0.160
			10--12	0.043			0.167
			11--13	0.043			0.167
			12--14	0.045			0.173
			13--15	0.045			0.173
			14--16	0.047			0.173
			15--17	0.047			0.177
			16--18	0.047			0.177
			17--19	0.073			0.194
			18--20	0.073			0.194
			19--21	0.073			0.194
			20--22	0.073			0.196

## T-BOLT hose calmp

### QUOTATION


Name	Drawing	Bandwidth (mm)	Size(mm)	FOB Unit price			
				W1	SS201 W2	SS304 W2	SS304 W4
T stype clamp		19	40-46		0.30	0.36	0.57
			44-50		0.30	0.36	0.57
			48-54		0.30	0.36	0.57
			57-65		0.31	0.38	0.59
			61-71		0.31	0.38	0.59
			69-77		0.31	0.38	0.59
			75-83		0.32	0.39	0.60
			81-89		0.32	0.39	0.60
			93-101		0.33	0.40	0.61
			100-108		0.33	0.40	0.61
			108-116		0.34	0.43	0.63
			116-124		0.36	0.45	0.65
			121-129		0.40	0.45	0.65
			133-141		0.40	0.47	0.68
			145-153		0.41	0.53	0.70
			158-166		0.43	0.54	0.72
152-160		0.45	0.54	0.72			
190-198		0.46	0.57	0.76			

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.

# YAXIN STAINLESS STEEL


## DOUBLE WIRE hose calmp

### QUOTATION

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
Wire clamp			12	0.022		0.0549	0.077
			14	0.022		0.0566	0.077
			16	0.022		0.0566	0.077
			19	0.022		0.0583	0.079
			22	0.029		0.0583	0.081
			25	0.029		0.0600	0.081
			27	0.029		0.0600	0.082
			29	0.031		0.0617	0.084
			32	0.031		0.0634	0.087
			38	0.033		0.0720	0.093
			80	0.051		0.1594	0.250
			89	0.055		0.1646	0.261


## Rubber coat calmp

### QUOTATION

Name	Drawing	Bandwidth (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
Rubber coat clamp		15	8				0.045
			10				0.048
			14				0.056
			16				0.058
			18				0.061
			25				0.071
			32				0.084
			38				0.093
			46				0.106
			50				0.111

## Circlip hose calmp

### QUOTATION


Name	Drawing	Bandwidth (mm)	Size (mm)	Unit price				
				W1	SS201 W2	SS201 W4	SS304 W4	
Circlip			7	5-6	0.011			
			7	6.5-7.5	0.012			
			8	8-9.5	0.014			
			8	10-11	0.015			
			8	11.5-12.5	0.016			
			10	13-14.5	0.019			
			10	15-16.5	0.023			
			10	17-17.5	0.025			
			10	18-19	0.028			
			10	20-22	0.036			

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.

# YAXIN STAINLESS STEEL

## single ear calmp

### QUOTATION

Name	Drawing	Ear width (mm)	Size (mm)	FOB Unit price			
				W1	SS201 W2	SS201 W4	SS304 W4
single ear clamp		4	5.3-6.5				0.028
		4	5.8-7				0.028
		4	6.3-7.5				0.028
		4	6.8-8				0.028
		5.5	7.0-8.7				0.028
		5.5	7.3-9				0.028
		5.5	7.8-9.5				0.028
		5.5	8.3-10				0.028
		5.5	8.8-10.5				0.028
		5.5	9.2-10.9				0.030
		5.5	9.6-11.3				0.030
		5.5	10.1-11.8				0.030
		8	9.4-11.9				0.030
		8	9.8-12.3				0.030
		8	10.3-12.8				0.030
		8	10.8-13.3				0.030
		8	11.3-13.8				0.030
		8	11.5-14				0.030
		8	12-14.5				0.030
		8	12.3-14.8				0.030
		8	12.8-15.3				0.032
		8	13.2-15.7				0.032
		8	13.7-16.2				0.032
		8	14.1-16.6				0.032
		8	14.3-16.8				0.032
		8	14.5-17				0.032
		8	15-17.5				0.032
		10	14.6-17.8				0.038
		10	14.8-18				0.038
		10	15.3-18.5				0.038
		10	16-19.2				0.046
		10	16.6-19.8				0.046
		10	17.8-21				0.048
10	19.4-22.6				0.048		
10	20.3-23.5				0.050		
10	20.9-24.1				0.050		
10	21.8-25				0.052		
10	22.4-25.6				0.052		
10	22.8-26				0.054		
10	23.9-27.1				0.054		
10	25.4-28.6				0.054		

This quotation is for reference only. If you have any inquiry, please contact the salesperson to provide you with the latest price.