



Shandong Guanxian Gangling Steel Trading Co.,Ltd

## Product Catalogue


### Company Profile

Shandong Guanxian Gangling Steel Trading Co.,Ltd is a professional Manufacture and exporter.We have advanced professional manufacture Equipment and matured technologyas well as a team of high-quality Professional management and technical talents.

At present,Gangling's main products are cold rolled steel,galvanized steel,galvalume steel ,color coated steel sheets and corrugated sheets. It can produce all kinds of high-quality sheets with a thickness range from 0.12mm to 2.0mm,and width within 1250mm. Its advantaged thin -high strength steel sheets had exported more than 100 countries and areas in Africa, Europe, South America, South-east Asia, Middle Asia and other areas, that mainly used in roofing, wall construction, painting basis sheets and auto industry ect. And already gain a great population in the worldwide.


There is no end in development and progress.Forward adhere to professional development strategy,always insist the concept of :science and technology enterprise,management inside and good image outside,optimize quality”,the purposes of “good faith cooperation,mutual win-win”,under the efforts of all stuff and the development concept of “people oriented,integrity management,honest work” with unity strength and inspire to create beautiful blueprint of one hundred enterprises.

### Main Product





## Shandong Guanxian Gangling Steel Trading Co.,Ltd




Galvanized steel coil	
Standred	JIS,ASTM,GB etc.
Grade	DX51D,DX52D,SGCH,SGCC, SGHC,SGCD, SGCE
Size	0.12mm-2.0mm*750mm-1250mm
Zinc	30g/m2-275g/m2
Coil I.D	508mm/610mm
Coil weight	3-8 MT
Surface	chromed/ slightly oiled/ skinpassed/dry
Spangle	zero/mini/regular/big
Application	Construction, Household Appliances Furniture Industry. Transportation Industry etc.



Galvalume steel coil	
Standred	JIS,ASTM,GB etc.
Grade	DX51D,DX52D,SGCH,SGCC, SGHC,SGCD, SGCE
Size	0.12mm-2.0mm*750mm-1250mm
Alu-zinc	30g/m2-275g/m2
Coil I.D	508mm/610mm
Coil weight	3-8 MT
Surface	chromed/ slightly oiled/ anti-finger
Application	Construction, Household Appliances Furniture Industry. Transportation Industry etc.



## Shandong Guanxian Gangling Steel Trading Co.,Ltd




Galvanized corrugated sheet	
Standred	JIS,ASTM,GB etc.
Grade	Dx51D,SGCC,SGCH
Thickness	0.12-2.0mm
Width	762-1000mm(BC),665-914mm(BC)
Zinc	30g/m2-275g/m2
Spangle	zero/mini/regular/big
Bundle Weight	2-3mt ( as required)
Wave Height	16-18mm
Wave Pitch	76-78mm,8-14waves
Application	Inside and outside construction, electrical appliance, furniture etc.



Prepainted steel coil	
Standred	JIS,ASTM,GB etc.
Grade	Dx51D,SGCC,SGCH
Size	0.12mm-2.0mm*750mm-1250mm
Zinc	30g/m2-275g/m2
Coil I.D	508mm/610mm
Coil weight	3-8 MT
Surface	PE/SMP/HDP/PVDF coated
Color	RAL colors
Top Coated Thickness	15μm-25μm
Back Coated Thickness	5μm-20μm
Application	Inside and outside construction, electrical appliance, furniture, carring trade etc.



## Shandong Guanxian Gangling Steel Trading Co.,Ltd



Galvanized plain sheet	
Standred	JIS,ASTM,GB etc.
Grade	Dx51D,SGCC,SGCH
Size	0.12mm-2.0mm*750mm-1250mm
Zinc	30g/m2-275g/m2
Spangle	zero/mini/regular/big
Bundle	2-3mt ( as required)
Weight	
Surface	chromed/ slightly oiled/ skinpassed/dry
Application	Construction, Household Appliances Furniture Industry. Transportation Industry etc.



PPGI/PPGL corrugated sheet	
Standred	JIS,ASTM,GB etc.
Grade	Dx51D,SGCC,SGCH
Thickness	0.12-2.0mm
Width	762-1000mm(BC),665-914mm(BC)
Zinc or Alu-zinc	30g/m2-275g/m2
Surface	PE/SMP/HDP/PVDF coated
Bundle	2-3mt ( as required)
Weight	
Wave Height	16-18mm
Wave Pitch	76-78mm,8-14waves
Color	RAL colors
Top Coated Thickness	15μm-25μm
Back Coated Thickness	5μm-20μm
Application	Inside and outside construction, electrial appliance, furniture etc.



## Shandong Guanxian Gangling Steel Trading Co.,Ltd



PPGI/PPGL tile sheet	
Standred	JIS,ASTM,GB etc.
Grade	Dx51D,SGCC,SGCH
Thickness	0.12-2.0mm
Width	762-1000mm(BC),665-914mm(BC)
Zinc or Alu-zinc	30g/m2-275g/m2
Surface	PE/SMP/HDP/PVDF coated
Bundle Weight	2-3mt ( as required)
Wave Height	16-18mm
Wave Pitch	76-78mm,8-14waves
Color	RAL colors
Top Coated Thickness	15μm-25μm
Back Coated Thickness	5μm-20μm
Application	Inside and outside construction, electrial appliance, furniture etc.



Cold Rolled steel coil	
Standred	JIS,ASTM,GB etc.
Grade	SPCC,SPCD,SPEC
Thickness	0.3mm-3.0mm
Width	600mm-1570mm
Coil Weight	3-14MT
Coil I.D	508mm/610mm
Surface	Dull Finish/Bright Finish
Oil	Skin Oiled
Color	Bright/Black Annealed





**Traffic facilities**






**Painted printed steel coil**





## Packing







Shandong Guanxian Gangling Steel Trading Co.,Ltd

**Contact:**

Director:Zhongrui Liang

Tel:86-18763533999

General Manager:Wendyli

Email:wendyli@ganglinsteel.com

Cell:86-13863535268