

# A/SA268 400 Series Stainless Steel Tube

**400 Series** Material Ferritic and Martensitic Stainless Steel Tubing, produced to applications where better mechanical properties, hardness, chloride induced pitting, crevice and stress corrosion cracking may be considered. And the high quality tube and pipe with such material can be also used for other specific applications as the petro/gas industry, bearing machining.


## Sample Show



ASTM A268 TP410 167.4x6.5MM



ASTM A268 TP410 218.3x7.0MM



ASTM A268 TP430F 37.0x2.11MM



ASTM A268 TP430Ti 38.1x2.4MM



ASTM A268 TP405 38.1x3.05MM



ASTM A268 TP410L 33.7x2.75MM

**Normal Standard:** ASTM A268, ASME SA268 Specification for Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service.

**Steel Grade:** TP410/ TP405/ TP420/ TP430/ TP430Ti/ TP403/ TP409/ TP444/ TP439/ TP446, etc.

**Manufacture Process:** Seamless or Welded

**Size:** O.D.:6-203mm, W.T.:0.5-25mm Length: Up to 25m

**Applications:** Heat Exchanger, Heater, Condenser, Machining, Bearing Machining, API Service...





## Available Surface



Pickling Surface



Polished Surface

## Inspection & Packing



## Marking



ASTMA268 TP410 15.88x2.11x6000MM




ASTMA268 TP430 26.67x2.87x10668MM



ASME SA268 S44660 25.4x1.65x9144MM



ASTMA268 TP410 19.05x2.11x6130MM





## Ark Steel Tube Co.,Ltd

Tel: +86-576-88805030

Fax: +86-576-88809380

Email: [sales@tubectrl.com](mailto:sales@tubectrl.com)

Web: [www.arksteeltube.com](http://www.arksteeltube.com)

Add: E802, Xintai Square Building, Taizhou, Zhejiang, China 318000