

ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.

Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734

Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>



Zhengzhou Huitong Pipe Fittings Co., Ltd.

Lisa Gao

Foreign Trade Manager

Email: lisa@htpipe.com

MSN: htpipelisa@live.com

SKYPE: htpipelisa

ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>

Company Info

Zhengzhou Huitong Pipe Fittings Co., Ltd., belonging to Huitong Pipe Fittings Manufacturing Group Co., Ltd., is mainly engaged in exporting steel pipe and pipe fittings for Huitong Group. After 32 years' development and innovation since our establishment, we are more and more professional in technical service and can manufacture products with all kinds of material, shape and size. Especially in elbows, tee, reducer, flange and pipe cap etc, we have gained more than 20 product patent, and hundreds of technology patent. Also, we have gradually taken an irreplaceable role in High-pressure, high-temperature and anti-corrosion area.

With the continuous construction of energy in China, such as petrol gas, electric power, etc., our company has become the purchasing center of whole set fittings for such projects. In 2009, Zhengzhou branch office, established by our group, is mainly engaged in oil gas and electric power projects abroad. By now, our products have been exported to Canada, Malaysia, Pakistan, UAE, the Middle East countries, etc. We have passed the qualification of ISO9001: 2000 and API quality certification system. High-quality products and high-class service are well received by abroad customers in this industry. The unique diversified production line can offer you one-package service you can purchase all complex products from us at one time. What's more, our sufficient material stock and conventional product stock can ensure you receive satisfied product in the shortest time.

Available Material list

Carbon Steel:	ASTM A106 GR.B, GR.C.;ASTM A333 GR.1, GR.3, GR.6;ASTM/ ASME S/A179/ A 179M; ASTM/ ASME S/A192/ A 192M;ASTM/ ASME S/A210/ A 210M GR.A;API 5L GR.B, X42, X52, X60, X65; ASTM A860/ A 860M WPHY42, WPHY52, WPHY60, WPHY65, WPHY70; ASTM A694 / A 694M F42, F46,F48,F50,F52,F56, F60, F65, F70; ASTM/ ASME S/A234/ A 234M WPB,WPC; ASTM/ ASME S/A420/ A 420M WPL6, WPL3; ASTM/ ASME S/A105/ A 105M;ASTM/ ASME S/A266/ A 266M GR.1, GR.2, GR.3, GR.4; ASTM/ ASME S/A350/ A 350M LF1, LF2,LF3;ASTM A193 B7, A307 B, A 320 L 7.
Stainless Steel:	ASTM / ASME A/SA 182 F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI,316H, 316L,316LN, 317, 317L, 321, 321H, 347, 347H,348,348H, F40/S31254,F20/N08020,F45/S30815,F46/S30600,F47/S31725,F48/S31726,F49/S34565, F56/S33228,F58/S31266,F62/N08367/1.4529.
Duplex Steel/Super Duplex Steel:	ASTM / ASME A/SA 182 F51/2205/S31803/1.4462;F53/2507/S32750/1.4410; F55/S32760,F50/S31200;F57/S39277;F59/S32520;F60/S32205;F61/S32250; F904L/N08904/1.4539;F44/254SMO/S31254/1.4574; 725LN/310MoLN; S31050/1.4466;17-4PH/S17400/1.4548;724L;316Lmod/1.4435.

ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.


No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.

Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734

Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>





Alloy Steel:	ASTM/ ASME S/A335/ A 315M P5, P9, P11, P12, P22, P91; ASTM/ ASME S/A213/ A 213M T5, T9, T11, T12, T22, T23 T91; DIN17175 10CrMo910, 13CrMo44, 10Cr9Mo1VNb; WB36 (15NiCuMoNb5); ASTM/ ASME S/A234/ A 234M WP5,WP9,WP11,WP12,WP22, WP9; ASTM/ ASME S/A182/ A 182M F5, F5a , F9, F11, F12, F22, F91; ASTM/ ASME S/A336/ A 336M F5, F9, F11, F12, F22, F91.
Nickel Alloy Steel:	Alloy 200/Nickel 200/N02200/2.4066;Alloy 201/Nickel 201/N02201/2.4068; Alloy 400/Monel 400/N04400/NS111/2.4360;Alloy K-500/Monel K-500/N05500/2.4375; Alloy 600/Inconel 600/N06600/NS333/2.4816;Alloy 601/Inconel 601/N06601/2.4851; Alloy 625/Inconel 625/N06625/NS336/2.4856; Alloy 718/Inconel 718/N07718/GH169/GH4169/2.4668;Alloy 800/Incoloy 800/N08800/1.4876; Alloy 800H/Incoloy 800H/N08810/1.4958;Alloy 800HT/Incoloy 800HT/N08811/NS112/1.4959; Alloy 825/Incoloy 825/N08825/2.4858;Alloy 925/Incoloy 925/N09925; Alloy C-276/Hastelloy C-276/N10276/2.4819; Alloy C-4/Hastelloy C-4/N06455/NS335/2.4610; Alloy C-22/Hastelloy C-22/N06022/2.4602;Alloy 2000/Hastelloy C-2000/N06200/2.4675; Alloy B/Hastelloy B/NS321;Alloy B-2/Hastelloy B-2/N10665/NS322/2.4617; Alloy B-3/Hastelloy B-3/N10675/2.4600;Alloy X/HASTELLOY-X/N06002/2.4465; Alloy G-30/HASTELLOY G-30/N06030/2.4603; Alloy C-2000/HASTELLOY C-2000/N06200; Alloy X-750/INCONEL X-750/N07750/GH145/2.4669; Alloy 20/Carpenter 20Cb3/N08020/NS312/2.4660;Alloy 31/N08031/1.4562; Alloy 901/N09901/1.4898;Incoloy25-6Mo/N08925; Inconel 783;Alloy-6XN/N08367;Monel 30C.

1. Flange



ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>



ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
 Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
 Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>

Type	WN(welding-neck);SO(slip-on);PL(Plate);BL(Blind);Th(Threaded);SW(scket-welding);LF/SE(lapped flange/stub end);LWN(long welding neck);Orifice flange;Reducing flange;API flange;Integral/Compact flange;Spectacle blind,Lind spade and spacer,Paddle blind,Paddle spacer;Orifice plate;Pipe plate,Bleed ring.
Standard	ANSI: ANSI B16.5,ANSI B16.47,ANSI B16.48,ANSI B16.36,ASME B16.5,API 6B,6BX,ISO7005-1,BS4504-3.1, JPI 7S-15-93, NF E29-203,API608-81,ASME B16.36; NORSOK STANDARD L-005;JIS: JIS B2220; DIN: DIN2630,2631,2632,2633,2634,2635,2636,2637,2638,2501(WN); DIN2573,2576,2527,2655,2656(PL);DIN2566(TH)
Manufacturing Process	Push,Press,Forge,Cast,etc.
Size	1/2"~60"
Class Rating	Class150~2500
Flange Facing:	RF(raised face);FF(flat face);RTJ(ring type joint); TG(tongue and groove face);MFF(male and female face)

2. Elbow & Bend Pipe



ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
 Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
 Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>



Type	BW(butt-welding);SW(socket-welding);Threaded elbow;Seamless elbow;Welded elbow
Standard	ASME/ANSI B16.9, B16.11, B16.28, B16.5; MSS SP-43,83,97; JIS B2311,B2312,B2313,B2316;SB3406,3408,3409,3410; SY/T0510-1998, SY5257-91
Manufacturing Process	Push,Press,Forge,Cast,etc.
Size	1/2"~48"(Seamless);16"~72"(Welded)
Wall Thickness	Sch5~SCH XXS
Radius	LR(long radius:R=1.5D);SR(short radius:R=1.0D)
Angle	45,90,180,60,etc according to customer's requirements.

3. Reducer




ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
 Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
 Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>



Type	Seamless reducer;Welded reducer Concentric reducer;Eccentric reducer
Standard	ASME/ANSI B16.9, B16.11, B16.28, B16.5; MSS SP-43,83,97; JIS B2311,B2312,B2313,B2316;SB3406,3408,3409,3410; SY/T0510-1998, SY5257-91
Manufacturing Process	Push,Press,Forge,Cast,etc.
Size	1/2"~48"(Seamless);16"~72"(Welded)
Wall Thickness	Sch5~SCH XXS

4. Tee & Cross




ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.
 Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734
 Web: www.htpipe.com <http://htpipefittings.en.alibaba.com/>



Type	Seamless tee;Welded tee; Equal tee/Straight tee;Reducing tee;Lateral tee
Standard	ASME/ANSI B16.9, B16.11, B16.28, B16.5; MSS SP-43,83,97; JIS B2311,B2312,B2313,B2316;SB3406,3408,3409,3410; SY/T0510-1998, SY5257-91
Manufacturing Process	Push,Press,Forge,Cast,etc.
Size	1/2"~48"(Seamless);16"~72"(Welded)
Wall Thickness	Sch5~SCH XXS

5. Pipe Cap



Type	Seamless tee;Welded tee; Equal tee/Straight tee;Reducing tee;Lateral tee
Standard	ASME/ANSI B16.9, B16.11, B16.28, B16.5; MSS SP-43,83,97; JIS B2311,B2312,B2313,B2316;SB3406,3408,3409,3410; SY/T0510-1998, SY5257-91
Manufacturing Process	Push,Press,Forge,Cast,etc.
Size	1/2"~48"(Seamless);16"~72"(Welded)

ZHENGZHOU HUITONG PIPE FITTINGS CO.,LTD.

No.168,Guoji Road,Jinshui District,Zhengzhou City,Henan Province,China.

Tel: +86-371-60953359 Fax: +86-371-60953359 Mobile: +86-13783581734

Web: www.htpipe.com

<http://htpipefittings.en.alibaba.com/>

Wall Thickness

Sch5~SCH XXS

6. Steel Pipe

